

7	<p>2. $\leq 0.1\text{mg/L}$ GB18584-2001 GB/T3324-2017 GB/T10357.2-2013 5</p> <p>3. QB/T 2741-2013 GB 8624 B1 GB20286- 2006 1 QB/T4371 99% 1 1 3</p>	0-3	0.0	1.0	3.0	3.0	0.0	2.0
8	<p>CNAS CMA</p> <p>1 2006 GB20286- 1 GB8624-2012 QB/T4371 B1 99% 1 ≥ 18 2 Mpa $\geq 3400\text{Mpa}$ 24h $\leq 2.5\%$ $\geq 0.80\text{Mpa}$ $\geq 1.80\text{Mpa}$ $\geq 1550\text{N}$ $\geq 1200\text{N}$ $\leq 0.02\text{mg/m}^3$($\geq 50\text{h}$) $\leq 0.01\mu\text{g/m}^3$, $\leq 0.01\mu\text{g/m}^3$, $\leq 0.01\mu\text{g/m}^3$ TVOC $\leq 0.01\mu\text{g/m}^3$ GB/T 15102-2017 GB/T 39600-2021 GB/T 35601-2017 GB/T17657-2013 GB 18584-2001 1 3 QB/T 2189-2013 10 0.5 4 GB/T18101-2013 GB18580-2017 HJ571-2010 , B1-B $\leq 0.08\text{mg/m}^3$ 0.5</p>	0-3	0.0	0.0	3.0	3.0	0.0	3.0
9	<p>1.</p> <p>2. UV</p> <p>3.</p>							

		5 30 1 0.5 ,									
	6.	3	1	0.5							
			0.5	3							
		3		0.5							
10.1			1.5	0.5	0-1.5	0.0	0.0	1.0	1.0	0.5	0.5
10.2	1.	12.5									
			1mm								
			0.4mm,								
		2									
	0.5										
	2.		0.5								
	2										
	3.										
					0-						
					12.5	5.0	5.5	7.0	8.0	6.0	7.5
		2		0.5							
	4.										
		0.5									
	5.										
	2		0.5								
	6.										
	1.5		0.5								
	7.										
		0.5									
10.3	1.	3		1							
	1										
	2.			1							
	1										
	3.										
			≥3mm								
		1		1							
10.4	1.	3									
	(1)			1							
	0.5										
	(2)										
	1		0.5								
	2.										
	1		0.5								
11					0-3	1.0	1.0	1.0	1.0	1.0	1.0

		1	3							
12			1	0-1	1.0	1.0	1.0	1.0	1.0	1.0
13.1		:	“ ” 2 1 ,	0-2	1.0	1.0	1.0	1.0	1.0	2.0
13.2		0.5	0.5	0-0.5	0.0	0.5	0.5	0.5	0.5	0.5
14			3 2	0-2	0.0	2.0	2.0	2.0	0.0	2.0
				0-60	10.0	27.5	46.0	46.5	12.0	45.0

		CNAS CMA					
8	1	GB20286-2006					
	1	GB8624-2012					
	B1	QB/T4371					
	99%						
	1						
	2	$\geq 3400\text{Mpa}$ 24h	$\geq 18\text{ Mpa}$				
		$\geq 0.80\text{Mpa}$	$\leq 2.5\%$				
		$\geq 1550\text{N}$	$\geq 1.80\text{Mpa}$				
		$\leq 0.02\text{mg/m}^3$ ($\geq 50\text{h}$)	$\geq 1200\text{N}$				
		$\leq 0.01\mu\text{g/m}^3$	$\leq 0.01\mu\text{g/m}^3$	0-3	3.0	0.5	3.0 3.0
		TVOC $\leq 0.01\mu\text{g/m}^3$	GB/T 15102-2017 GB/T 39600-2021 GB/T 35601-2017 GB/T 17657-2013 GB 18584-2001				
	3	QB/T 2189-2013					
			10				
		0.5					
	4	HJ571-2010	GB/T18101-2013 GB18580-				
	B1-B		$\leq 0.08\text{mg/m}^3$				
			0.5				
9	1.						
	2.	UV					
	3.						
	4.						
	5.	voc					
				0-7	6.0	0.0	5.0 5.5
)	30 1 0.5 ,	30				
	6.						
			1				
			0.5				
	3						
	0.5						
10.1			1.5	0-1.5	1.5	0.0	1.0 1.0
	1.	12.5					
		1mm					
	0.5	0.4mm,					
	2.		2				
	3.	0.5					

10.2		2 4. 0.5 2 5. 0.5 6. 0.5 7. 0.5	0-12.5	11.0	5.5	9.0	8.5
10.3		1. 3 1 2. 1 3. ≥3mm 1	0-3	2.0	1.0	2.0	2.0
10.4		1. 3 (1) 1 (2) 0.5 2. 1 0.5 1	0-3	2.5	2.0	2.0	2.0
11		1 3	0-3	1.0	1.0	1.0	1.0
12		1	0-1	1.0	1.0	1.0	1.0
13.1		“ ” : 2 1	0-2	2.0	1.0	2.0	1.0
13.2		0.5 0.5	0-0.5	0.5	0.0	0.5	0.5
14		3 2	0-2	2.0	0.0	0.0	0.0
			0-60	54.0	19.5	46.0	45.0

1		ISO14001 ISO45001 ISO9001 2		0-2	0.0	2.0	2.0	2.0	0.0	2.0
2		1 2 1 2.5 0.5		0-3.5	0.0	3.5	3.5	3.5	0.0	3.5
3		0.25 0.5 0.5 4 1 1 3		0-4	0.0	4.0	4.0	4.0	0.0	4.0
4		2020 6 1 0.5 3 A A		0-3	0.0	3.0	3.0	3.0	0.0	3.0
5		() () 1)- -		0-1	0.0	1.0	1.0	1.0	0.0	1.0
6		5 “ ” 0.5 1		0-5	0.0	0.0	4.0	3.0	0.0	3.0
		CNAS CMA 1. QB/T2741-2023 GB/T35607-2017 ≥40 W3≥350 W4≥50 ≤9% 100H ≤0.013mg/m3 TVOC								

7	<p>≤0.07mg/m3 500N</p> <p>200N</p> <p>2.</p> <p>GB18584-2001 GB/T3324-2017 GB/T10357.2-2013 5</p> <p>3. QB/T 2741-2013 GB 8624 B1 GB20286- 2006 1 QB/T4371 99% 1 1 3</p> <p>≤0.1mg/L</p>	0-3	0.0	1.0	3.0	3.0	0.0	2.0
8	<p>CNAS CMA</p> <p>1 2006</p> <p>GB20286- 1 GB8624-2012 B1 99% QB/T4371 1</p> <p>2 Mpa ≥3400Mpa 24h ≤2.5% ≥0.80Mpa ≥1.80Mpa ≥1550N ≥1200N ≤0.02mg/m³(≥50h) ≤0.01µg/m³, ≤0.01µg/m³, ≤0.01µg/m³</p> <p>TVOC ≤0.01µg/m³ GB/T 15102-2017 GB/T 39600-2021 GB/T 35601-2017 GB/T17657-2013 GB 18584-2001 1</p> <p>3 QB/T 2189-2013 10 0.5</p> <p>4 GB/T18101-2013 GB18580-2017 HJ571-2010 , ≤0.08mg/m³ 0.5 B1-B</p>	0-3	0.0	0.0	3.0	3.0	0.0	3.0
9	<p>1.</p> <p>2. UV</p> <p>3.</p> <p>4.</p> <p>5. voc</p>	0-7	0.0	0.0	5.0	5.5	0.0	5.0

	() 5 30 1 30 0.5 , 6. 1 3 0.5 3 3 0.5								
10.1		1.5 0.5	0-1.5	0.0	0.0	1.0	1.0	0.5	0.5
10.2	1. 12.5 0.5 2. 2 3. 0.5 4. 2 5. 0.5 6. 2 7. 1.5 0.5 1mm 0.4mm, 2 0.5 2 0.5 0.5 1		0-12.5	5.0	9.0	12.0	12.0	8.0	8.0
10.3	1. 3 1. 1 2. 1 3. 1 ≥3mm 1		0-3	1.0	1.0	3.0	3.0	1.0	1.0
10.4	1. 3 (1) 1 0.5 (2) 1 2. 0.5 1 0.5		0-3	1.0	1.5	3.0	3.0	1.5	1.5

11		1	3	0-3	1.0	1.0	3.0	3.0	1.0	1.0
12			1	0-1	0.0	0.0	1.0	1.0	0.0	0.0
13.1		:	“ ” 2 1 ,	0-2	1.0	1.0	2.0	2.0	1.0	1.0
13.2		0.5	0.5	0-0.5	0.0	0.5	0.5	0.5	0.5	0.5
14			3 2	0-2	0.0	2.0	2.0	2.0	0.0	2.0
				0-60	9.0	30.5	56.0	55.5	13.5	42.0

1		ISO14001 ISO9001 ISO45001 2	0-2	2.0	2.0	2.0	2.0	
2		1 2 0.5 2.5	0-3.5	3.5	2.5	3.5	3.5	
3		1 3 0.25 0.5 0.5 1 4	0-4	4.0	0.0	4.0	4.0	
4		2020 6 1 0.5 3 A A	0-3	3.0	1.0	3.0	3.0	
5))- ((1	0-1	1.0	1.0	1.0	1.0	
6		" " 5 1 0.5	0-5	5.0	1.0	3.0	3.0	
7		CNAS CMA 1. 2023 GB/T35607-2017 W3≥350 W4≥50 ≥40 QB/T2741- ≤9% 100H ≤0.013mg/m3 TVOC ≤0.07mg/m3 200N 500N 2. 2017 ≤0.1mg/L GB18584-2001 GB/T3324- GB/T10357.2-2013 5 3. QB/T 2741-2013 GB 8624 B1 GB20286-2006 1 QB/T4371 99% 1 1 3	0-3	3.0	0.0	3.0	3.0	

10.2		4. 2 0.5 5. 2 0.5 6. 0.5 1.5 7. 0.5 1	0-12.5	10.0	5.0	9.0	12.0
10.3		1. 3 1 1 2. 1 1 3. ≥3mm 1	0-3	2.0	1.0	2.0	3.0
10.4		1. (1) 3 1 0.5 (2) 1 0.5 2. 1 0.5	0-3	2.0	1.0	2.0	3.0
11		1 3	0-3	3.0	1.0	1.0	3.0
12		1	0-1	1.0	0.0	1.0	1.0
13.1		“ ” : 2 1	0-2	1.0	1.0	1.0	2.0
13.2		0.5 0.5	0-0.5	0.5	0.0	0.5	0.5
14		3 2	0-2	2.0	0.0	0.0	0.0
			0-60	53.5	17.0	45.0	53.5

7	<p>≤0.07mg/m3 500N</p> <p>200N</p> <p>2.</p> <p>≤0.1mg/L</p> <p>GB18584-2001 GB/T3324-2017 GB/T10357.2-2013 5</p> <p>3. QB/T 2741-2013 GB 8624 B1 GB20286- 2006 1 QB/T4371 99% 1 1 3</p>	0-3	0.0	1.0	3.0	3.0	0.0	2.0
8	<p>CNAS CMA</p> <p>1 2006</p> <p>GB20286- 1 GB8624-2012 B1 99% QB/T4371 1</p> <p>2 Mpa ≥3400Mpa 24h ≤2.5% ≥0.80Mpa ≥1.80Mpa ≥1550N ≥1200N ≤0.02mg/m³(≥50h) ≤0.01µg/m³, ≤0.01µg/m³, ≤0.01µg/m³</p> <p>TVOC ≤0.01µg/m³ GB/T 15102-2017 GB/T 39600-2021 GB/T 35601-2017 GB/T17657-2013 GB 18584-2001 1</p> <p>3 QB/T 2189-2013 10 0.5</p> <p>4 GB/T18101-2013 GB18580-2017 HJ571-2010 B1-B , ≤0.08mg/m³ 0.5</p>	0-3	0.0	0.0	3.0	3.0	0.0	3.0
9	<p>1.</p> <p>2. UV</p> <p>3.</p> <p>4.</p> <p>5. voc</p>	0-7	0.0	0.0	5.0	5.5	0.0	5.0

	() 5 30 1 30 0.5 , 6. 1 3 0.5 3 3 0.5								
10.1		1.5 0.5	0-1.5	0.0	0.0	1.0	1.0	0.5	0.5
10.2	1. 12.5 0.5 2. 2 3. 0.5 4. 2 5. 0.5 6. 2 7. 1.5 0.5	1mm 0.4mm, 2 0.5 2 0.5 0.5 0.5 1	0- 12.5	6.5	6.5	11.0	10.0	8.0	10.0
10.3	1. 3 1. 1 2. 1 3. 1 ≥3mm	1 1 1	0-3	1.0	1.0	3.0	3.0	1.0	3.0
10.4	1. 3 (1) 0.5 (2) 1 2. 1	1 0.5 0.5 0.5	0-3	1.5	1.0	2.0	2.0	1.0	2.0

11		1	3	0-3	1.0	1.0	1.0	3.0	1.0	1.0
12			1	0-1	1.0	1.0	1.0	1.0	1.0	1.0
13.1		:	“ ” 2 1 ,	0-2	1.0	1.0	2.0	2.0	1.0	1.0
13.2		0.5	0.5	0-0.5	0.0	0.5	0.5	0.5	0.5	0.5
14			3 2	0-2	0.0	2.0	2.0	2.0	0.0	2.0
				0-60	12.0	28.5	52.0	52.5	14.0	47.5

1		ISO14001 ISO9001 ISO45001 2	0-2	2.0	2.0	2.0	2.0	
2		1 2 0.5 2.5	0-3.5	3.5	2.5	3.5	3.5	
3		1 3 0.25 0.5 0.5 1 4	0-4	4.0	0.0	4.0	4.0	
4		2020 6 1 0.5 3 A A	0-3	3.0	1.0	3.0	3.0	
5))- ((1	0-1	1.0	1.0	1.0	1.0	
6		" " 5 1 0.5	0-5	5.0	1.0	3.0	3.0	
7		CNAS CMA 1. 2023 GB/T35607-2017 W3≥350 W4≥50 ≥40 QB/T2741- ≤9% 100H ≤0.013mg/m3 TVOC ≤0.07mg/m3 200N 500N 2. 2017 ≤0.1mg/L GB18584-2001 GB/T3324- GB/T10357.2-2013 5 3. QB/T 2741-2013 GB 8624 B1 GB20286-2006 1 QB/T4371 99% 1 1 3	0-3	3.0	0.0	3.0	3.0	

		CNAS CMA					
8	1	GB20286-2006					
	1	GB8624-2012					
	B1	QB/T4371					
	99%						
	1						
	2	$\geq 3400\text{Mpa}$ 24h	$\geq 18\text{ Mpa}$				
		$\geq 0.80\text{Mpa}$	$\leq 2.5\%$				
		$\geq 1550\text{N}$	$\geq 1.80\text{Mpa}$				
		$\leq 0.02\text{mg/m}^3$ ($\geq 50\text{h}$)	$\geq 1200\text{N}$				
		$\leq 0.01\mu\text{g/m}^3$	$\leq 0.01\mu\text{g/m}^3$	0-3	3.0	0.5	3.0 3.0
		TVOC $\leq 0.01\mu\text{g/m}^3$	GB/T 15102-2017 GB/T 39600-2021 GB/T 35601-2017 GB/T 17657-2013 GB 18584-2001				
	3	QB/T 2189-2013					
			10				
		0.5					
	4	HJ571-2010	GB/T18101-2013 GB18580-				
	B1-B		$\leq 0.08\text{mg/m}^3$				
			0.5				
9	1.						
	2.	UV					
	3.						
	4.						
	5.	voc					
				0-7	6.0	0.0	5.0 5.5
)	30 1 0.5 ,	30				
	6.						
			1				
			0.5				
	3						
	0.5						
10.1			1.5	0-1.5	1.5	0.0	1.0 1.0
	1.	12.5					
		1mm					
	0.5	0.4mm,					
	2.		2				
	3.	0.5					

10.2		2 4. 0.5 2 5. 0.5 6. 0.5 7. 0.5	0-12.5	11.5	6.0	10.0	11.0
10.3		1. 3 2. 1 3. ≥3mm 1	0-3	3.0	1.0	3.0	3.0
10.4		1. (1) 3 1 0.5 (2) 1 0.5 2. 1 0.5	0-3	2.5	1.0	2.0	2.5
11		1 3	0-3	3.0	1.0	3.0	3.0
12		1	0-1	1.0	1.0	1.0	1.0
13.1		“ ” : 2 1	0-2	2.0	1.0	2.0	2.0
13.2		0.5 0.5	0-0.5	0.5	0.0	0.5	0.5
14		3 2	0-2	2.0	0.0	0.0	0.0
			0-60	57.5	19.0	50.0	52.0

7	<p>≤0.07mg/m3 500N</p> <p>200N</p> <p>2.</p> <p>≤0.1mg/L</p> <p>GB18584-2001 GB/T3324-2017 GB/T10357.2-2013 5</p> <p>3. QB/T 2741-2013 GB 8624 B1 GB20286- 2006 1 QB/T4371 99% 1 1 3</p>	0-3	0.0	1.0	3.0	3.0	0.0	2.0
8	<p>CNAS CMA</p> <p>1 GB20286- 2006 1 GB8624-2012 B1 QB/T4371 99% 1</p> <p>2 ≥18 Mpa ≥3400Mpa 24h ≤2.5% ≥0.80Mpa ≥1.80Mpa ≥1550N ≥1200N ≤0.02mg/m³(≥50h) ≤0.01µg/m³, ≤0.01µg/m³, ≤0.01µg/m³</p> <p>TVOC ≤0.01µg/m³ GB/T 15102-2017 GB/T 39600-2021 GB/T 35601-2017 GB/T17657-2013 GB 18584-2001 1</p> <p>3 QB/T 2189-2013 10 0.5</p> <p>4 GB/T18101-2013 GB18580-2017 HJ571-2010 B1-B , ≤0.08mg/m³ 0.5</p>	0-3	0.0	0.0	3.0	3.0	0.0	3.0
9	<p>1.</p> <p>2. UV</p> <p>3.</p> <p>4.</p> <p>5. voc</p>	0-7	0.0	0.0	5.0	5.5	0.0	5.0

	() 5 30 1 30 0.5 , 6. 1 3 0.5 3 3 0.5								
10.1		1.5 0.5	0-1.5	0.0	0.0	1.0	0.5	0.5	0.5
10.2	1. 12.5 0.5 2. 2 3. 0.5 4. 2 5. 0.5 6. 2 7. 1.5 0.5	1mm 0.4mm, 2 0.5 2 0.5 0.5 0.5 1	0- 12.5	6.0	6.5	12.0	10.0	6.5	9.0
10.3	1. 3 1. 1 2. 1 3. 1 ≥3mm	1 1 1 1	0-3	1.0	1.0	3.0	2.0	1.0	2.0
10.4	1. 3 (1) 0.5 (2) 1 2. 1	1 1 0.5 0.5	0-3	1.0	0.5	3.0	2.0	0.5	2.0

		1	0-3	1.0	1.0	3.0	1.0	1.0	3.0
12		3 1	0-1	0.0	1.0	1.0	1.0	1.0	1.0
13.1		: “ ” 2 1 ,	0-2	0.0	1.0	2.0	1.0	1.0	2.0
13.2		0.5							

1		ISO14001 ISO9001 ISO45001 2	0-2	2.0	2.0	2.0	2.0	
2		1 2 0.5 2.5	0-3.5	3.5	2.5	3.5	3.5	
3		1 3 0.25 0.5 0.5 1 4	0-4	4.0	0.0	4.0	4.0	
4		2020 6 1 0.5 3 A A	0-3	3.0	1.0	3.0	3.0	
5))- ((1	0-1	1.0	1.0	1.0	1.0	
6		" " 5 1 0.5	0-5	5.0	1.0	3.0	3.0	
7		CNAS CMA 1. 2023 GB/T35607-2017 W3≥350 W4≥50 ≥40 QB/T2741- ≤9% 100H ≤0.013mg/m3 TVOC ≤0.07mg/m3 200N 500N 2. 2017 ≤0.1mg/L GB18584-2001 GB/T3324- GB/T10357.2-2013 5 3. QB/T 2741-2013 GB 8624 B1 GB20286-2006 1 QB/T4371 99% 1 1 3	0-3	3.0	0.0	3.0	3.0	

		CNAS CMA					
8	1 1 99% 2 ≥3400Mpa 24h ≥0.80Mpa ≥1550N ≤0.02mg/m³ ≤0.01μg/m³ TVOC ≤0.01μg/m³ 39600-2021 18584-2001 3 4 2017	GB20286-2006 GB8624-2012 B1 QB/T4371 1 1 ≥18 Mpa ≤2.5% ≥1.80Mpa ≥1200N ≥50h) ≤0.01μg/m³, ≤0.01μg/m³ GB/T 15102-2017 GB/T 35601-2017 GB/T17657-2013 GB 1 QB/T 2189-2013 10 0.5 GB/T18101-2013 GB18580- B1-B ≤0.08mg/m³ 0.5	0-3	3.0	0.5	3.0	3.0
9	1. 2. 3. 4. 5. 6. 3 0.5	UV voc (30 1 0.5 , 30 1 3 0.5 3 3	0-7	6.0	0.0	5.0	5.5
10.1		1.5 0.5	0-1.5	1.5	0.0	1.0	1.0
	1. 2. 3.	12.5 1mm 0.4mm, 0.5 0.5					

10.2		4. 2 0.5 5. 2 0.5 6. 0.5 1.5 7. 0.5 1	0-12.5	9.0	6.0	8.0	9.0
10.3		1. 3 1 1 2. 1 1 3. ≥3mm 1	0-3	2.0	1.0	1.0	1.0
10.4		1. 3 1 0.5 (1) (2) 1 0.5 2. 1 0.5	0-3	1.0	0.5	1.0	1.0
11		1 3	0-3	3.0	0.0	1.0	1.0
12		1	0-1	1.0	0.0	1.0	1.0
13.1		“ ” : 2 1	0-2	1.0	0.0	1.0	1.0
13.2		0.5 0.5	0-0.5	0.5	0.0	0.5	0.5
14		3 2	0-2	2.0	0.0	0.0	0.0
			0-60	51.5	15.5	42.0	43.5

1		ISO14001 ISO45001 ISO9001 2	0-2	0.0	2.0	2.0	2.0	0.0	2.0	
2		1 2 1 2.5 0.5	0-3.5	0.0	3.5	3.5	3.5	0.0	3.5	
3		0.25 0.5 0.5 4 1 1 3	0-4	0.0	4.0	4.0	4.0	0.0	4.0	
4		2020 6 1 0.5 3 A A	0-3	0.0	3.0	3.0	3.0	0.0	3.0	
5		() () 1)- -	0-1	0.0	1.0	1.0	1.0	0.0	1.0	
6		5 “ ” 0.5 1	0-5	0.0	0.0	4.0	3.0	0.0	3.0	
		CNAS CMA 1. QB/T2741-2023 GB/T35607-2017 ≥40 W3≥350 W4≥50 ≤9% 100H ≤0.013mg/m3 TVOC								

7	<p>≤0.07mg/m3 500N</p> <p>200N</p> <p>2.</p> <p>≤0.1mg/L</p> <p>GB18584-2001 GB/T3324-2017 GB/T10357.2-2013 5</p> <p>3. QB/T 2741-2013 GB 8624 B1 GB20286- 2006 1 QB/T4371 99% 1 1 3</p>	0-3	0.0	1.0	3.0	3.0	0.0	2.0
8	<p>CNAS CMA</p> <p>1 2006 GB20286- 1 GB8624-2012 B1 QB/T4371 99% 1</p> <p>2 Mpa ≥3400Mpa 24h ≥18 ≤2.5% ≥0.80Mpa ≥1.80Mpa ≥1550N ≥1200N ≤0.02mg/m³(≥50h) ≤0.01µg/m³, ≤0.01µg/m³, ≤0.01µg/m³</p> <p>TVOC ≤0.01µg/m³ GB/T 15102-2017 GB/T 39600-2021 GB/T 35601-2017 GB/T17657-2013 GB 18584-2001 1</p> <p>3 QB/T 2189-2013 10 0.5</p> <p>4 GB/T18101-2013 GB18580-2017 HJ571-2010 B1-B , ≤0.08mg/m³ 0.5</p>	0-3	0.0	0.0	3.0	3.0	0.0	3.0
9	<p>1.</p> <p>2. UV</p> <p>3.</p> <p>4.</p> <p>5. voc</p>	0-7	0.0	0.0	5.0	5.5	0.0	5.0

	() 5 30 1 30 0.5 , 6. 1 3 0.5 3 3 0.5								
10.1		1.5 0.5	0-1.5	0.0	0.0	1.0	1.0	0.5	0.5
10.2	1. 12.5 0.5 2. 2 3. 0.5 4. 2 5. 0.5 6. 2 7. 1.5 0.5	1mm 0.4mm, 2 0.5 2 0.5 0.5 0.5 1	0- 12.5	6.0	6.0	10.0	12.0	4.0	8.0
10.3	1. 3 1. 1 2. 1 3. 1	1 1 1 ≥3mm 1	0-3	1.0	1.0	2.0	3.0	1.0	2.0
10.4	1. 3 (1) 0.5 (2) 1 2. 1	1 1 0.5 0.5	0-3	1.0	1.0	2.0	3.0	1.0	2.0

11		1	3	0-3	1.0	1.0	1.0	3.0	1.0	1.0
12			1	0-1	1.0	1.0	1.0	1.0	1.0	1.0
13.1		:	“ ”	0-2	1.0	1.0	2.0	2.0	1.0	2.0
			2 1 ,							
13.2		0.5	0.5	0-0.5	0.0	0.5	0.5	0.5	0.5	0.5
14			3	0-2	0.0	2.0	2.0	2.0	0.0	2.0
			2							
				0-60	11.0	28.0	50.0	55.5	10.0	45.5

1		ISO14001 ISO9001 ISO45001 2	0-2	2.0	2.0	2.0	2.0	
2		1 2 0.5 2.5	0-3.5	3.5	2.5	3.5	3.5	
3		1 3 0.25 0.5 0.5 1 4	0-4	4.0	0.0	4.0	4.0	
4		2020 6 1 0.5 3 A A	0-3	3.0	1.0	3.0	3.0	
5))- ((1	0-1	1.0	1.0	1.0	1.0	
6		" " 5 1 0.5	0-5	5.0	1.0	3.0	3.0	
7		CNAS CMA 1. 2023 GB/T35607-2017 W3≥350 W4≥50 ≥40 QB/T2741- ≤9% 100H ≤0.013mg/m3 TVOC ≤0.07mg/m3 200N 500N 2. 2017 ≤0.1mg/L GB18584-2001 GB/T3324- GB/T10357.2-2013 5 3. QB/T 2741-2013 GB 8624 B1 GB20286-2006 1 QB/T4371 99% 1 1 3	0-3	3.0	0.0	3.0	3.0	

10.2		2 4. 0.5 2 5. 0.5 6. 0.5 7. 0.5	0-12.5	8.0	6.0	6.0	8.0
10.3		3 1. 1 2. 1 3. ≥3mm 1	0-3	2.0	1.0	2.0	1.0
10.4		3 1. (1) 1 0.5 2. 1 1 0.5	0-3	2.0	1.0	2.0	2.0
11		1 3	0-3	1.0	1.0	1.0	1.0
12		1	0-1	1.0	1.0	1.0	1.0
13.1		“ ” : 2 1	0-2	2.0	1.0	2.0	1.0
13.2		0.5 0.5	0-0.5	0.5	0.0	0.5	0.5
14		3 2	0-2	2.0	0.0	0.0	0.0
			0-60	50.5	19.0	43.0	43.5

:

HZZFCG-2023-109

1		ISO14001 ISO45001 ISO9001 2	0-2	0.0	2.0	2.0	2.0	0.0	2.0	
2		1 2 1 2.5 0.5	0-3.5	0.0	3.5	3.5	3.5	0.0	3.5	
3		0.25 0.5 1 1 3 0.5 4	0-4	0.0	4.0	4.0	4.0	0.0	4.0	
4		2020 6 1 0.5 3 A A	0-3	0.0	3.0	3.0	3.0	0.0	3.0	
5		() ()- 1	0-1	0.0	1.0	1.0	1.0	0.0	1.0	
6		5 “ ” 0.5 1	0-5	0.0	0.0	4.0	3.0	0.0	3.0	
		CNAS CMA 1.								

7	<p>≤0.07mg/m3 500N</p> <p>200N</p> <p>2.</p> <p>≤0.1mg/L</p> <p>GB18584-2001 GB/T3324-2017 GB/T10357.2-2013 5</p> <p>3. QB/T 2741-2013 GB 8624 B1 GB20286- 2006 1 QB/T4371 99% 1 1 3</p>	0-3	0.0	1.0	3.0	3.0	0.0	2.0
8	<p>CNAS CMA</p> <p>1 GB20286- 2006 1 GB8624-2012 B1 QB/T4371 99% 1</p> <p>2 ≥18 Mpa ≥3400Mpa 24h ≤2.5% ≥0.80Mpa ≥1.80Mpa ≥1550N ≥1200N ≤0.02mg/m³(≥50h) ≤0.01µg/m³, ≤0.01µg/m³, ≤0.01µg/m³</p> <p>TVOC ≤0.01µg/m³ GB/T 15102-2017 GB/T 39600-2021 GB/T 35601-2017 GB/T17657-2013 GB 18584-2001 1</p> <p>3 QB/T 2189-2013 10 0.5</p> <p>4 GB/T18101-2013 GB18580-2017 HJ571-2010 B1-B , ≤0.08mg/m³ 0.5</p>	0-3	0.0	0.0	3.0	3.0	0.0	3.0
9	<p>1.</p> <p>2. UV</p> <p>3.</p> <p>4.</p> <p>5. voc</p>	0-7	0.0	0.0	5.0	5.5	0.0	5.0

	() 5 30 1 30 0.5 , 6. 3 0.5 3 0.5								
10.1		1.5 0.5	0-1.5	0.0	0.0	1.0	1.0	0.5	0.5
10.2	1. 12.5 0.5 2. 2 3. 0.5 4. 2 5. 0.5 6. 2 7. 1.5 0.5	1mm 0.4mm, 2 0.5 2 0.5 0.5 0.5 1	0- 12.5	3.0	4.0	11.0	9.0	4.0	9.0
10.3	1. 3 1. 1 2. 1 3. 1 ≥3mm	1 1 1 1	0-3	0.0	0.0	3.0	2.0	0.0	2.0
10.4	1. 3 (1) 0.5 (2) 1 2. 1	1 1 0.5 0.5	0-3	0.0	1.0	2.0	2.0	1.0	2.0

11		1	3	0-3	1.0	1.0	3.0	1.0	0.0	3.0
12			1	0-1	0.0	1.0	1.0	1.0	0.0	1.0
13.1		:	“ ” 2 1 ,	0-2	2.0	0.0	2.0	1.0	1.0	1.0
13.2		0.5	0.5	0-0.5	0.0	0.5	0.5	0.5	0.5	0.5
14			3 2	0-2	0.0	2.0	2.0	2.0	0.0	2.0
				0-60	6.0	24.0	54.0	47.5	7.0	47.5

1		ISO14001 ISO9001 ISO45001 2	0-2	2.0	2.0	2.0	2.0	
2		1 2 0.5 2.5	0-3.5	3.5	2.5	3.5	3.5	
3		1 3 0.25 0.5 0.5 1 4	0-4	4.0	0.0	4.0	4.0	
4		2020 6 1 0.5 3 A A	0-3	3.0	1.0	3.0	3.0	
5))- ((1	0-1	1.0	1.0	1.0	1.0	
6		" " 5 1 0.5	0-5	5.0	1.0	3.0	3.0	
7		CNAS CMA 1. 2023 GB/T35607-2017 W3≥350 W4≥50 ≥40 QB/T2741- ≤9% 100H ≤0.013mg/m3 TVOC ≤0.07mg/m3 200N 500N 2. 2017 ≤0.1mg/L GB18584-2001 GB/T3324- GB/T10357.2-2013 5 3. QB/T 2741-2013 GB 8624 B1 GB20286-2006 1 QB/T4371 99% 1 1 3	0-3	3.0	0.0	3.0	3.0	

10.2		2 4. 0.5 2 5. 0.5 6. 0.5 7. 0.5	0-12.5	12.0	3.0	8.0	9.0
10.3		1. 3 1 2. 1 3. ≥3mm 1	0-3	3.0	1.0	2.0	2.0
10.4		1. 3 (1) 1 (2) 0.5 2. 1 0.5 1	0-3	3.0	1.0	2.0	2.0
11		1 3	0-3	3.0	0.0	1.0	3.0
12		1	0-1	1.0	0.0	1.0	1.0
13.1		“ ” : 2 1	0-2	2.0	1.0	1.0	1.0
13.2		0.5 0.5	0-0.5	0.5	0.0	0.5	0.5
14		3 2	0-2	2.0	0.0	0.0	0.0
			0-60	58.5	14.0	44.0	47.5

1		ISO14001 ISO45001 ISO9001 2	0-2	0.0	2.0	2.0	2.0	0.0	2.0	
2		1 2 1 2.5 0.5	0-3.5	0.0	3.5	3.5	3.5	0.0	3.5	
3		0.25 0.5 0.5 4 1 1 3	0-4	0.0	4.0	4.0	4.0	0.0	4.0	
4		2020 6 1 0.5 3 A A	0-3	0.0	3.0	3.0	3.0	0.0	3.0	
5		() () 1)-	0-1	0.0	1.0	1.0	1.0	0.0	1.0	
6		5 “ ” 0.5 1	0-5	0.0	0.0	4.0	3.0	0.0	3.0	
		CNAS CMA 1. QB/T2741-2023 GB/T35607-2017 ≥40 W3≥350 W4≥50								

7	<p>≤0.07mg/m3 500N</p> <p>200N</p> <p>2.</p> <p>GB18584-2001 GB/T3324-2017 GB/T10357.2-2013 5</p> <p>3. QB/T 2741-2013 GB 8624 B1 GB20286- 2006 1 QB/T4371 99% 1 1 3</p> <p>≤0.1mg/L</p>	0-3	0.0	1.0	3.0	3.0	0.0	2.0
8	<p>CNAS CMA</p> <p>1 2006</p> <p>GB20286- 1 GB8624-2012 B1 99%</p> <p>QB/T4371 1</p> <p>2 Mpa ≥3400Mpa 24h ≤2.5% ≥0.80Mpa ≥1.80Mpa ≥1550N ≥1200N ≤0.02mg/m³(≥50h) ≤0.01µg/m³, ≤0.01µg/m³, ≤0.01µg/m³</p> <p>TVOC ≤0.01µg/m³ GB/T 15102-2017 GB/T 39600-2021 GB/T 35601-2017 GB/T17657-2013 GB 18584-2001 1</p> <p>3 QB/T 2189-2013 10 0.5</p> <p>4 GB/T18101-2013 GB18580-2017 HJ571-2010 B1-B , ≤0.08mg/m³ 0.5</p>	0-3	0.0	0.0	3.0	3.0	0.0	3.0
9	<p>1.</p> <p>2. UV</p> <p>3.</p> <p>4.</p> <p>5. voc</p>	0-7	0.0	0.0	5.0	5.5	0.0	5.0

	() 5 30 1 30 0.5 , 6. 1 3 0.5 3 3 0.5								
10.1		1.5 0.5	0-1.5	0.0	0.0	1.0	1.0	0.5	0.5
10.2	1. 12.5 0.5 2. 2 3. 0.5 4. 2 5. 0.5 6. 2 7. 1.5 0.5	1mm 0.4mm, 2 0.5 2 0.5 0.5 0.5 1	0- 12.5	5.0	6.0	8.0	11.0	6.0	11.0
10.3	1. 3 1. 1 2. 1 3. 1 ≥3mm	1 1 1 1	0-3	1.0	2.0	2.0	3.0	2.0	3.0
10.4	1. 3 (1) 0.5 (2) 1 2. 1	1 1 0.5 0.5	0-3	1.0	1.0	2.0	2.5	2.0	1.5

11		1	3	0-3	1.0	1.0	3.0	3.0	1.0	1.0
12			1	0-1	1.0	1.0	1.0	1.0	1.0	1.0
13.1		:	“ ” 2 1 ,	0-2	1.0	2.0	2.0	2.0	1.0	2.0
13.2		0.5	0.5	0-0.5	0.0	0.5	0.5	0.5	0.5	0.5
14			3 2	0-2	0.0	2.0	2.0	2.0	0.0	2.0
				0-60	10.0	30.0	50.0	54.0	14.0	49.0

1		ISO14001 ISO9001 ISO45001 2	0-2	2.0	2.0	2.0	2.0	
2		1 2 0.5 2.5	0-3.5	3.5	2.5	3.5	3.5	
3		1 3 0.25 0.5 0.5 1 4	0-4	4.0	0.0	4.0	4.0	
4		2020 6 1 0.5 3 A A	0-3	3.0	1.0	3.0	3.0	
5))- ((1	0-1	1.0	1.0	1.0	1.0	
6		" " 5 1 0.5	0-5	5.0	1.0	3.0	3.0	
7		CNAS CMA 1. 2023 GB/T35607-2017 W3≥350 W4≥50 ≥40 QB/T2741- ≤9% 100H ≤0.013mg/m3 TVOC ≤0.07mg/m3 200N 500N 2. 2017 ≤0.1mg/L GB18584-2001 GB/T3324- GB/T10357.2-2013 5 3. QB/T 2741-2013 GB 8624 B1 GB20286-2006 1 QB/T4371 99% 1 1 3	0-3	3.0	0.0	3.0	3.0	

10.2		2 4. 0.5 2 5. 0.5 6. 0.5 7. 0.5	0-12.5	7.0	5.0	10.0	9.0
10.3		1. 3 1 2. 1 3. ≥3mm 1	0-3	2.0	2.0	2.0	3.0
10.4		1. 3 (1) 1 (2) 0.5 2. 1 0.5 1	0-3	1.5	1.5	1.5	2.5
11		1 3	0-3	1.0	1.0	1.0	3.0
12		1	0-1	1.0	1.0	1.0	1.0
13.1		“ ” : 2 1	0-2	1.0	1.0	1.0	2.0
13.2		0.5 0.5	0-0.5	0.5	0.0	0.5	0.5
14		3 2	0-2	2.0	0.0	0.0	0.0
			0-60	48.0	19.5	45.5	50.0

