

1		ISO9001 ISO45001 2	ISO14001	0-2	2.0	2.0	0.0	2.0	2.0	2.0	
2		1 2 0.5	1 2.5	0-3.5	3.5	3.5	0.0	3.5	0.0	3.5	
3		3 0.25 4	0.5 0.5 1	1	0-4	4.0	4.0	0.0	4.0	0.0	4.0
4		2020 6 1 3	A [ ] A	0.5	0-3	3.0	3.0	0.0	0.0	0.0	3.0
5		) ( 3 ) 2 ( ) 3	3 1	1	0-1	1.0	1.0	0.0	1.0	0.0	1.0
6			5 1	0.5	0-5	4.0	5.0	0.0	5.0	0.0	5.0
7		CMA 1. GB/T35607-2017 WB 350	40 WB 50	CB/T2741-2023							
		100H 0.013mg/m <sup>3</sup> 500N	TVOC 0.07mg/m <sup>3</sup>	9% 200N	0-3	2.0	3.0	0.0	3.0	0.0	3.0
		2. GB18584-2001 GB/T10357.2-2013	GB/T3324-2017 0.1mg/L	5							
		3. GB 8624 B1 CB/T4371	CB/T 2741-2013 20286-2006 99%	1 1							
		3		1							

8	<p style="text-align: center;">CMA</p> <p>1 GB20286-2006 1 B1</p> <p>GB8624-2012 CB/T4371 99%</p> <p>2 3400Mpa 24h 1.80Mpa 2.5% 18 Mpa 0.80Mpa</p> <p>1200N 1550N 0.02mg/m³ (50h)</p> <p>0.01μ g/m³, TVOC 0.01μ g/m³, 0.01μ g/m³ GB/T 15102-2017 GB/T 39600-2021 GB/T 35601-2017 GB/T117657-2013 GB 18584-2001</p> <p>3 CB/T 2189-2013 10</p> <p>0.5</p> <p>4 GB/T18101-2013 GB18580-2017</p> <p>HJ571-2010 B1-B 0.08mg/m³ 0.5</p>	0-3	3.0	3.0	0.0	3.0	0.0	3.0
9	<p>1.</p> <p>2. UV</p> <p>3.</p> <p>4.</p> <p>0.5 22 5 22 1</p> <p>5. 1 2021</p> <p>0.5 2021</p> <p>2021 0.5</p>	0-7	7.0	7.0	0.0	7.0	0.0	7.0
10.1	<p>0.5 1.5</p>	0-1.5	1.5	1.5	0.0	1.5	0.0	1.5
10.2	<p>1. 12.5</p> <p>2 0.5 2</p> <p>3. 0.5 2</p> <p>4. 0.5 2</p> <p>5. 0.5 2</p> <p>6. 0.5 1.5</p> <p>7. 1 0.5</p>	0-12.5	5.5	11.5	3.5	4.5	5.0	11.5
10.3	<p>1. 3 1 1</p> <p>2 1 1</p> <p>3. 1 1</p>	0-3	2.0	3.0	1.0	2.0	2.0	3.0
10.4	<p>1. 3</p> <p>(1) 1 0.5</p> <p>(2) 1 0.5</p> <p>2</p> <p>1 0.5</p>	0-3	2.0	3.0	1.0	1.0	1.5	3.0

11		3 1	0-3	1.0	3.0	1.0	1.0	1.0	3.0
12		1	0-1	0.0	1.0	1.0	1.0	0.0	1.0
13.1		2 1	0-2	1.0	2.0	1.0	1.0	1.0	2.0
13.2		0.5 0.5	0-0.5	0.5	0.5	0.5	0.5	0.5	0.5
14		3 2	0-2	0.0	2.0	0.0	0.0	0.0	0.0
			0-60	43.0	59.0	9.0	41.0	13.0	57.0

1		ISO45001 ISO9001 ISO14001 2	0-2	2.0	2.0	2.0	2.0	2.0
2		1 2 0.5 2.5	0-3.5	3.5	3.5	2.5	3.5	3.5
3		0.5 1 1 3 0.25 0.5 4	0-4	4.0	4.0	4.0	4.0	4.0
4		2020 6 1 [ A 0.5 3 A ]	0-3	3.0	3.0	3.0	3.0	3.0
5		) 2 ( 3 ) 3 1 ( ) 1	0-1	0.0	1.0	1.0	1.0	1.0
6		1 5 * * 0.5	0-5	5.0	5.0	3.0	5.0	5.0
7		CMA 1. 2017 40 CB/T2741-2023 GB/T35607- WB 350 WA 50 9% 100H 0.013mg/m <sup>3</sup> TVOC 0.07mg/m <sup>3</sup> 200N 500N 2. GB/T3324-2017 0.1mg/L GB/T10357.2-2013 GB18584-2001 5 3. CB/T 2741-2013 GB 8624 B1 20286-2006 1 CB/T4371 99% 1 1 3	0-3	1.0	3.0	3.0	3.0	3.0
8		CMA 1 GB20286-2006 1 GB8624-2012 B1 CB/T4371 99% 2 1 18 Mpa 3400Mpa 24h 2.5% 0.80Mpa 1.80Mpa 1550N 1200N 0.02mg/m <sup>3</sup> (50h) 0.01μg/m <sup>3</sup> , 0.01μg/m <sup>3</sup> , 0.01μg/m <sup>3</sup> TVOC 0.01μg/m <sup>3</sup> GB/T 15102-2017 GB/T 39600-2021 GB/T 35601-2017 GB/T17657-2013 GB 18584-2001 1 3 GB/T 2189-2013 10 4 GB/T18101-2013 0.5 GB18580-2017 HJ 571-2010 B1-B 0.08mg/m <sup>3</sup> 0.5mg/m <sup>3</sup> 0.5	0-3	3.0	3.0	3.0	3.0	3.0




1		ISO9001 ISO45001 2	ISO14001	0-2	2.0	2.0	0.0	2.0	2.0	2.0	
2		1 2 0.5	1 2.5	0-3.5	3.5	3.5	0.0	3.5	0.0	3.5	
3		3 0.25 4	0.5 0.5 1	1 0-4	4.0	4.0	0.0	4.0	0.0	4.0	
4		2020 6 1 3	A [ ] A	0.5 0-3	3.0	3.0	0.0	0.0	0.0	3.0	
5		( ) 3	2 ( ) 1	3 1 0-1	1.0	1.0	0.0	1.0	0.0	1.0	
6		0.5	5 1	" " 0-5	4.0	5.0	0.0	5.0	0.0	5.0	
7		CMA 1. GB/T35607-2017 WB 350	40 W4 50	QB/T2741-2023							
		100H 0.013mg/m³ 500N	TVOC 0.07mg/m³	9% 200N	0-3	2.0	3.0	0.0	3.0	0.0	3.0
		2. GB18584-2001 GB/T10357.2-2013	GB/T3324-2017 0.1mg/L	5							
		3. GB 8624 B1 QB/T4371	QB/T 2741-2013 20286-2006 99%	1 1							
		3	1	1							



11		3 1	0-3	1.0	3.0	1.0	1.0	1.0	3.0
12		1	0-1	1.0	1.0	0.0	1.0	0.0	1.0
13.1		2 1	0-2	1.0	2.0	1.0	1.0	1.0	2.0
13.2		0.5 0.5	0-0.5	0.5	0.5	0.5	0.5	0.5	0.5
14		3 2	0-2	0.0	2.0	0.0	0.0	0.0	0.0
			0-60	43.5	59.5	13.0	42.5	16.0	55.0

1		ISO45001 ISO9001 ISO14001 2	0-2	2.0	2.0	2.0	2.0	2.0
2		1 2 0.5 2.5	0-3.5	3.5	3.5	2.5	3.5	3.5
3		0.5 1 1 3 0.25 0.5 4	0-4	4.0	4.0	4.0	4.0	4.0
4		2020 6 1 [ A 0.5 3 A ]	0-3	3.0	3.0	3.0	3.0	3.0
5		) 2 ( 3 ) 3 1 ( ) 1	0-1	0.0	1.0	1.0	1.0	1.0
6		1 5 * * 0.5	0-5	5.0	5.0	3.0	5.0	5.0
7		CMA 1. 2017 40 CB/T2741-2023 GB/T35607- WB 350 WA 50 9% 100H 0.013mg/m <sup>3</sup> TVOC 0.07mg/m <sup>3</sup> 200N 500N 2. GB/T3324-2017 0.1mg/L GB/T10357.2-2013 GB18584-2001 5 3. CB/T 2741-2013 GB 8624 B1 20286-2006 1 CB/T4371 99% 1 1 3	0-3	1.0	3.0	3.0	3.0	3.0
8		CMA 1 GB20286-2006 1 GB8624-2012 B1 CB/T4371 99% 2 1 18 Mpa 3400Mpa 24h 2.5% 0.80Mpa 1.80Mpa 1550N 1200N 0.02mg/m <sup>3</sup> ( 50h) 0.01μg/m <sup>3</sup> , 0.01μg/m <sup>3</sup> , 0.01μg/m <sup>3</sup> TVOC 0.01μg/m <sup>3</sup> GB/T 15102-2017 GB/T 39600-2021 GB/T 35601-2017 GB/T17657-2013 GB 18584-2001 1 3 GB/T 2189-2013 10 0.5 4 GB/T18101-2013 GB18580-2017 HJ 571-2010 B1-B 0.08mg/m <sup>3</sup> 0.5mg/m <sup>3</sup> 0.5	0-3	3.0	3.0	3.0	3.0	3.0

	<p>22 1 0.5</p>	<p>5. 1 2021 0.5 2021</p> <p>2021 0.5</p>	<p>0-7</p>	<p>7.0</p>	<p>7.0</p>	<p>5.0</p>	<p>7.0</p>
<p>10.1</p>	<p>1.5</p>	<p>1</p>					

1		ISO9001 ISO45001 2	ISO14001	0-2	2.0	2.0	0.0	2.0	2.0	2.0		
2		1 2 0.5	1 2.5	0-3.5	3.5	3.5	0.0	3.5	0.0	3.5		
3		3 0.25 4	0.5 0.5 1	1	0-4	4.0	4.0	0.0	4.0	0.0	4.0	
4		2020 6 1 3	A [ ] A	0.5	0-3	3.0	3.0	0.0	0.0	0.0	3.0	
5		( ) 3	2 ( ) 1	3 1	1	0-1	1.0	1.0	0.0	1.0	0.0	1.0
6		0.5	5 1	" "	0-5	4.0	5.0	0.0	5.0	0.0	5.0	
7		CMA 1. GB/T35607-2017 WB 350	40 WB 50	QB/T2741-2023								
		100H 0.013mg/m³ 500N	TVOC 0.07mg/m³	9% 200N								
		2. GB18584-2001 GB/T10357.2-2013	GB/T3324-2017 0.1mg/L	0.3								

8	<p>CMA</p> <p>1 GB20286-2006 1 B1</p> <p>GB8624-2012 CB/T4371 99%</p> <p>2 3400Mpa 24h 1.80Mpa 2.5% 18 Mpa 0.80Mpa</p> <p>1200N 0.01μg/m³, TVOC 0.01μg/m³, 0.02mg/m³ (50h) 1550N 0.01μg/m³</p> <p>39600-2021 GB/T 35601-2017 GB/T117657-2013 GB 18584-2001</p> <p>3 CB/T 2189-2013 10</p> <p>0.5</p> <p>4 HJ571-2010 B1-B 0.08mg/m³ 0.5</p> <p>GB/T18101-2013 GB18580-2017</p>	0-3	3.0	3.0	0.0	3.0	0.0	3.0
9	<p>1.</p> <p>2. UV</p> <p>3.</p> <p>4.</p> <p>0.5 22 5 22 1</p> <p>5. 1 2021</p> <p>0.5 2021</p> <p>2021 0.5</p>	0-7	7.0	7.0	0.0	7.0	0.0	7.0
10.1	<p>0.5 1.5</p>	0-1.5	1.5	1.5	0.0	1.5	0.0	1.5
10.2	<p>1. 12.5</p> <p>2 0.5 2</p> <p>3. 0.5</p> <p>4. 0.5 2 0.5 2</p> <p>5. 0.5 1.5</p> <p>6. 0.5</p> <p>7. 1 0.5</p>	0-12.5	8.0	11.0	6.0	8.0	4.0	9.0
10.3	<p>1. 3 1 1</p> <p>2 1 1</p> <p>3. 1 1</p>	0-3	2.0	3.0	2.0	2.0	2.0	3.0
10.4	<p>1. 3</p> <p>(1) 1 0.5</p> <p>(2) 1 0.5</p> <p>2</p> <p>1 0.5</p>	0-3	2.0	3.0	2.0	2.5	2.5	2.5



1		ISO45001 ISO9001 ISO14001 2	0-2	2.0	2.0	2.0	2.0	2.0
2		1 2 0.5 2.5	0-3.5	3.5	3.5	2.5	3.5	3.5
3		0.5 1 1 3 0.25 0.5 4	0-4	4.0	4.0	4.0	4.0	4.0
4		2020 6 1 [ A 0.5 3 A ]	0-3	3.0	3.0	3.0	3.0	3.0
5		) 2 ( 3 ) 3 1 ( ) 1	0-1	0.0	1.0	1.0	1.0	1.0
6		1 5 * * 0.5	0-5	5.0	5.0	3.0	5.0	5.0
7		CMA 1. 2017 40 CB/T2741-2023 GB/T35607- WB 350 WA 50 9% 100H 0.013mg/m <sup>3</sup> TVOC 0.07mg/m <sup>3</sup> 200N 500N 2. GB/T3324-2017 0.1mg/L GB/T10357.2-2013 GB18584-2001 5 3. CB/T 2741-2013 GB 8624 B1 20286-2006 1 CB/T4371 99% 1 1 3	0-3	1.0	3.0	3.0	3.0	3.0
8		CMA 1 GB20286-2006 1 GB8624-2012 B1 CB/T4371 99% 2 1 18 Mpa 3400Mpa 24h 2.5% 0.80Mpa 1.80Mpa 1550N 1200N 0.02mg/m <sup>3</sup> (50h) 0.01μg/m <sup>3</sup> , 0.01μg/m <sup>3</sup> , 0.01μg/m <sup>3</sup> TVOC 0.01μg/m <sup>3</sup> GB/T 15102-2017 GB/T 39600-2021 GB/T 35601-2017 GB/T17657-2013 GB 18584-2001 1 3 GB/T 2189-2013 10 0.5 4 GB/T18101-2013 GB18580-2017 HJ 571-2010 B1-B 0.08mg/m <sup>3</sup> 0.5mg/m <sup>3</sup> 0.5	0-3	3.0	3.0	3.0	3.0	3.0

9	1. 2. UV 3. 4. 22 5 22 1 0.5 , 5. 1 2021 0.5 2021 2021 0.5	0-7	7.0	7.0	5.0	7.0
10.1	0.5 1.5	0-1.5	1.5	1.5	1.0	1.5
10.2	1. 12.5 0.5 , 2 2 2 0.5 3. 2 4. 0.5 5. 2 0.5 6. 1.5 0.5 7. 1 0.5	0-12.5	7.0	9.0	8.0	10.0
10.3	1. 3 2. 1 1 1 3. 1 1	0-3	3.0	3.0	3.0	3.0
10.4	1. 3 (1) 1 0.5 (2) 1 0.5 2 1 0.5	0-3	3.0	3.0	3.0	3.0
11	3 1	0-3	3.0	3.0	3.0	3.0
12	1	0-1	1.0	1.0	1.0	1.0
13.1	1 , 2	0-2	2.0	2.0	2.0	2.0
13.2	0.5 0.5	0-0.5	0.5	0.5	0.5	0.5
14	2 3	0-2	0.0	2.0	0.0	2.0
		0-60	49.5	56.5	48.0	57.5

1		ISO9001 ISO45001 2	ISO14001	0-2	2.0	2.0	0.0	2.0	2.0	2.0	
2		1 2 0.5	1 2.5	0-3.5	3.5	3.5	0.0	3.5	0.0	3.5	
3		3 0.25 4	0.5 0.5 1	1 0-4	4.0	4.0	0.0	4.0	0.0	4.0	
4		2020 6 1 3	A [ ] A	0.5 0-3	3.0	3.0	0.0	0.0	0.0	3.0	
5		( ) 3	2 ( ) 1	3 1 0-1	1.0	1.0	0.0	1.0	0.0	1.0	
6		0.5	5 1	" " 0-5	4.0	5.0	0.0	5.0	0.0	5.0	
7		CMA 1. GB/T35607-2017 WB 350	40 W4 50	QB/T2741-2023							
		100H 0.013mg/m³ 500N	TVOC 0.07mg/m³	9% 200N	0-3	2.0	3.0	0.0	3.0	0.0	3.0
		2. GB18584-2001 GB/T10357.2-2013	GB/T3324-2017 0.1mg/L	5							
		3. GB 8624 B1 QB/T4371	QB/T 2741-2013 20286-2006 99%	1 1							
		3	1	1							

8	<p>CMA</p> <p>1 GB20286-2006 1 B1</p> <p>GB8624-2012 CB/T4371 99%</p> <p>2 3400Mpa 24h 1.80Mpa 2.5% 18 Mpa 0.80Mpa</p> <p>1200N 1550N</p> <p>0.01μg/m³, TVOC 0.01μg/m³, 0.02mg/m³ (50h) 0.01μg/m³</p> <p>39600-2021 GB/T 35601-2017 GB/T117657-2013 GB 18584-2001</p> <p>3 CB/T 2189-2013 10</p> <p>0.5</p> <p>4 HJ571-2010 GB/T18101-2013 GB18580-2017</p> <p>B1-B 0.08mg/m³</p> <p>0.5mg/m³ 0.5</p>	0-3	3.0	3.0	0.0	3.0	0.0	3.0
9	<p>1.</p> <p>2. UV</p> <p>3.</p> <p>4.</p> <p>0.5 22 5 22 1</p> <p>5. 1 2021</p> <p>0.5 2021</p> <p>2021 0.5</p>	0-7	7.0	7.0	0.0	7.0	0.0	7.0
10.1	<p>0.5 1.5</p>	0-1.5	1.5	1.5	0.0	1.5	0.0	1.5
10.2	<p>1. 12.5</p> <p>2 0.5 2</p> <p>3. 0.5</p> <p>4. 0.5 2</p> <p>5. 0.5 2</p> <p>6. 0.5 1.5</p> <p>7. 0.5 1 0.5</p>	0-12.5	7.0	12.0	5.0	7.0	5.0	12.0
10.3	<p>1. 3 1 1</p> <p>2 1 1</p> <p>3. 1 1</p>	0-3	3.0	3.0	2.0	2.0	2.0	3.0
10.4	<p>1. 3</p> <p>(1) 1 0.5</p> <p>(2) 1 0.5</p> <p>2</p> <p>1 0.5</p>	0-3	1.0	3.0	2.0	2.0	2.0	3.0

11		3 1	0-3	1.0	3.0	3.0	3.0	3.0	3.0
12		1	0-1	1.0	1.0	1.0	1.0	1.0	1.0
13.1		2 1	0-2	2.0	2.0	2.0	2.0	2.0	2.0
13.2		0.5 0.5	0-0.5	0.5	0.5	0.5	0.5	0.5	0.5
14		3 2	0-2	0.0	2.0	0.0	0.0	0.0	0.0
			0-60	46.5	59.5	15.5	47.5	17.5	57.5

1		ISO45001 ISO9001 ISO14001 2	0-2	2.0	2.0	2.0	2.0	2.0
2		1 2 0.5 2.5	0-3.5	3.5	3.5	2.5	3.5	3.5
3		0.5 1 4 1 0.25 3 0.5	0-4	4.0	4.0	4.0	4.0	4.0
4		2020 6 1 [ A ] 0.5 3 A	0-3	3.0	3.0	3.0	3.0	3.0
5		) 2 ( 3 ) 3 1 ( 1	0-1	0.0	1.0	1.0	1.0	1.0
6		1 5 * * 0.5	0-5	5.0	5.0	3.0	5.0	5.0
7		CMA 1. 2017 40 CB/T2741-2023 GB/T35607- WB 350 WA 50 9% 100H 0.013mg/m <sup>3</sup> TVOC 0.07mg/m <sup>3</sup> 200N 500N 2. GB/T3324-2017 0.1mg/L GB/T10357.2-2013 GB18584-2001 5 3. CB/T 2741-2013 GB 8624 B1 20286-2006 1 CB/T4371 99% 1 1 3	0-3	1.0	3.0	3.0	3.0	3.0
8		CMA 1 GB20286-2006 1 GB8624-2012 B1 CB/T4371 99% 2 1 18 Mpa 3400Mpa 24h 2.5% 0.80Mpa 1.80Mpa 1550N 1200N 0.02mg/m <sup>3</sup> (50h) 0.01μg/m <sup>3</sup> , 0.01μg/m <sup>3</sup> , 0.01μg/m <sup>3</sup> TVOC 0.01μg/m <sup>3</sup> GB/T 15102-2017 GB/T 39600-2021 GB/T 35601-2017 GB/T17657-2013 GB 18584-2001 1 3 GB/T 2189-2013 10 0.5 4 GB/T18101-2013 GB18580-2017 HJ 571-2010 B1-B 0.08mg/m <sup>3</sup> 0.5mg/m <sup>3</sup> 0.5	0-3	3.0	3.0	3.0	3.0	3.0

9	1. 2. UV 3. 4. 22 5 22 1 0.5 , 5. 1 2021 0.5 2021 2021 0.5	0-7	7.0	7.0	5.0	7.0
10.1	0.5 1.5	0-1.5	1.5	1.5	1.0	1.5
10.2	1. 12.5 0.5 , 2 2 2 0.5 3. 2 4. 0.5 5. 2 0.5 6. 1.5 0.5 7. 1 0.5	0-12.5	8.0	8.0	7.0	8.0
10.3	1. 3 2. 1 1 1 3. 1 1	0-3	1.0	1.0	1.0	1.0
10.4	1. 3 (1) 1 0.5 (2) 1 0.5 2 1 0.5	0-3	1.0	1.0	1.0	1.0
11	3 1	0-3	1.0	1.0	1.0	1.0
12	1	0-1	1.0	1.0	1.0	1.0
13.1	1 , 2	0-2	2.0	2.0	2.0	2.0
13.2	0.5 0.5	0-0.5	0.5	0.5	0.5	0.5
14	2 3	0-2	0.0	2.0	0.0	2.0
		0-60	44.5	49.5	41.0	49.5

1		ISO9001 ISO45001 2	ISO14001	0-2	2.0	2.0	0.0	2.0	2.0	2.0		
2		1 2 0.5	1 2.5	0-3.5	3.5	3.5	0.0	3.5	0.0	3.5		
3		3 0.25 4	0.5 0.5 1	1	0-4	4.0	4.0	0.0	4.0	0.0	4.0	
4		2020 6 1 3	A [ ] A	0.5	0-3	3.0	3.0	0.0	0.0	0.0	3.0	
5		( ) 3	2 ( ) 1	3 1	1	0-1	1.0	1.0	0.0	1.0	0.0	1.0
6		0.5	5 1	" "	0-5	4.0	5.0	0.0	5.0	0.0	5.0	
7		CMA 1. GB/T35607-2017 WB 350	40 WA 50	QB/T2741-2023								
		100H 0.013mg/m³ 500N	TVOC 0.07mg/m³	9% 200N	0-3	2.0	3.0	0.0	3.0	0.0	3.0	
		2. GB18584-2001 GB/T10357.2-2013	GB/T3324-2017 0.1mg/L	5								
		3. GB 8624 B1 QB/T4371	QB/T 2741-2013 20286-2006 99%	1 1								
		3	1	1								

8	<p style="text-align: center;">CMA</p> <p>1 GB20286-2006 1 B1</p> <p>GB8624-2012 CB/T4371 99%</p> <p>2 3400Mpa 24h 1.80Mpa 2.5% 18 Mpa 0.80Mpa</p> <p>1200N 1550N 0.02mg/m³ (50h)</p> <p>0.01μg/m³, TVOC 0.01μg/m³, 0.01μg/m³ GB/T 15102-2017 GB/T 39600-2021 GB/T 35601-2017 GB/T17657-2013 GB 18584-2001</p> <p>3 CB/T 2189-2013 10</p> <p>0.5</p> <p>4 GB/T18101-2013 GB18580-2017</p> <p>HJ571-2010 B1-B 0.08mg/m³ 0.5</p>	0-3	3.0	3.0	0.0	3.0	0.0	3.0
9	<p>1.</p> <p>2. UV</p> <p>3.</p> <p>4.</p> <p>0.5 22 5 22 1</p> <p>5. 1 2021</p> <p>0.5 2021</p> <p>2021 0.5</p>	0-7	7.0	7.0	0.0	7.0	0.0	7.0
10.1	<p>0.5 1.5</p>	0-1.5	1.5	1.5	0.0	1.5	0.0	1.5
10.2	<p>1. 12.5</p> <p>2 0.5 2</p> <p>3. 0.5</p> <p>4. 0.5 2</p> <p>5. 0.5 2</p> <p>6. 0.5 1.5</p> <p>7. 0.5 1 0.5</p>	0-12.5	7.0	11.5	6.0	7.0	6.0	9.0
10.3	<p>1. 3 1 1</p> <p>2 1 1</p> <p>3. 1 1</p>	0-3	2.0	3.0	1.0	2.0	1.0	2.0
10.4	<p>1. 3</p> <p>(1) 1 0.5</p> <p>(2) 1 0.5</p> <p>2</p> <p>1 0.5</p>	0-3	2.0	3.0	1.0	1.0	1.0	3.0

11		3 1	0-3	1.0	3.0	1.0	1.0	1.0	1.0
12		1	0-1	1.0	1.0	1.0	1.0	1.0	1.0
13.1		2 1	0-2	1.0	2.0	1.0	1.0	1.0	2.0
13.2		0.5 0.5	0-0.5	0.5	0.5	0.5	0.5	0.5	0.5
14		3 2	0-2	0.0	2.0	0.0	0.0	0.0	0.0
			0-60	45.5	59.0	11.5	43.5	13.5	51.5

1		ISO45001 ISO9001 ISO14001 2	0-2	2.0	2.0	2.0	2.0	2.0
2		1 2 0.5 2.5	0-3.5	3.5	3.5	2.5	3.5	3.5
3		0.5 1 1 3 0.25 0.5 4	0-4	4.0	4.0	4.0	4.0	4.0
4		2020 6 1 [ A 0.5 3 A ]	0-3	3.0	3.0	3.0	3.0	3.0
5		) 2 ( 3 ) 3 1 ( ) 1	0-1	0.0	1.0	1.0	1.0	1.0
6		1 5 * * 0.5	0-5	5.0	5.0	3.0	5.0	5.0
7		CMA 1. 2017 40 CB/T2741-2023 GB/T35607- WB 350 WA 50 9% 100H 0.013mg/m <sup>3</sup> TVOC 0.07mg/m <sup>3</sup> 200N 500N 2. GB/T3324-2017 0.1mg/L GB/T10357.2-2013 GB18584-2001 5 3. CB/T 2741-2013 GB 8624 B1 20286-2006 1 CB/T4371 99% 1 1 3	0-3	1.0	3.0	3.0	3.0	3.0
8		CMA 1 GB20286-2006 1 GB8624-2012 B1 CB/T4371 99% 2 1 18 Mpa 3400Mpa 24h 2.5% 0.80Mpa 1.80Mpa 1550N 1200N 0.02mg/m <sup>3</sup> (50h) 0.01μg/m <sup>3</sup> , 0.01μg/m <sup>3</sup> , 0.01μg/m <sup>3</sup> TVOC 0.01μg/m <sup>3</sup> GB/T 15102-2017 GB/T 39600-2021 GB/T 35601-2017 GB/T17657-2013 GB 18584-2001 1 3 GB/T 2189-2013 10 4 GB/T18101-2013 0.5 GB18580-2017 HJ 571-2010 B1-B 0.08mg/m <sup>3</sup> 0.5mg/m <sup>3</sup> 0.5	0-3	3.0	3.0	3.0	3.0	3.0

9	1. 2. UV 3. 4. 22 5 22 1 0.5 , 5. 1 2021 0.5 2021 2021 0.5	0-7	7.0	7.0	5.0	7.0
10.1	0.5 1.5	0-1.5	1.5	1.5	1.0	1.5
10.2	1. 12.5 0.5 , 2 2 2 0.5 3. 2 4. 0.5 5. 2 0.5 6. 1.5 0.5 7. 1 0.5	0-12.5	8.0	9.5	8.0	9.0
10.3	1. 3 2. 1 1 1 3. 1 1	0-3	1.0	3.0	2.0	2.0
10.4	1. 3 (1) 1 0.5 (2) 1 0.5 2 1 0.5	0-3	2.0	3.0	2.0	2.0
11	3 1	0-3	1.0	3.0	1.0	3.0
12	1	0-1	1.0	1.0	1.0	1.0
13.1	2 1 ,	0-2	2.0	2.0	2.0	2.0
13.2	0.5 0.5	0-0.5	0.5	0.5	0.5	0.5
14	2 3	0-2	0.0	2.0	0.0	2.0
		0-60	45.5	57.0	44.0	54.5

1		ISO9001 ISO45001 2	ISO14001	0-2	2.0	2.0	0.0	2.0	2.0	2.0		
2		1 2 0.5	1 2.5	0-3.5	3.5	3.5	0.0	3.5	0.0	3.5		
3		3 0.25 4	0.5 0.5 1	1	0-4	4.0	4.0	0.0	4.0	0.0	4.0	
4		2020 6 1 3	A [ ] A	0.5	0-3	3.0	3.0	0.0	0.0	0.0	3.0	
5		( ) 3	2 ( ) 1	3 1	1	0-1	1.0	1.0	0.0	1.0	0.0	1.0
6		0.5	5 1	" "	0-5	4.0	5.0	0.0	5.0	0.0	5.0	
7		CMA 1. GB/T35607-2017 WB 350 W4 50 100H 0.013mg/m³ TVOC 500N 2. 0357. 2023 W GB18584-2001 GB/T3324-2017 0.1mg/L GB/T10357.2-2013	40 9% 200N 0.07mg/m³ 0.857. B/T10 B	QB/T2741-2023								

8	<p style="text-align: center;">CMA</p> <p>1 GB20286-2006 1 B1</p> <p>GB8624-2012 CB/T4371 99%</p> <p>2 3400Mpa 24h 1.80Mpa 2.5% 18 Mpa 0.80Mpa</p> <p>1200N 0.01μg/m³, TVOC 0.01μg/m³, 0.01μg/m³, 0.02mg/m³ (50h) 1550N</p> <p>39600-2021 GB/T 35601-2017 GB/T17657-2013 GB 18584-2001</p> <p>3 CB/T 2189-2013 10</p> <p>0.5</p> <p>4 HJ571-2010 B1-B 0.08mg/m³ 0.5</p> <p>GB/T18101-2013 GB18580-2017</p>	0-3	3.0	3.0	0.0	3.0	0.0	3.0
9	<p>1.</p> <p>2. UV</p> <p>3.</p> <p>4.</p> <p>0.5 22 5 22 1</p> <p>5. 1 2021</p> <p>0.5 2021</p> <p>2021 0.5</p>	0-7	7.0	7.0	0.0	7.0	0.0	7.0
10.1	<p>0.5 1.5</p>	0-1.5	1.5	1.5	0.0	1.5	0.0	1.5
10.2	<p>1. 12.5</p> <p>2 0.5 2</p> <p>3. 0.5</p> <p>4. 0.5 2</p> <p>5. 0.5 2</p> <p>6. 0.5 1.5</p> <p>7. 0.5 1 0.5</p>	0-12.5	7.0	12.0	6.0	7.0	7.0	8.0
10.3	<p>1. 3 1 1</p> <p>2 1 1</p> <p>3. 1 1</p>	0-3	1.0	3.0	1.0	1.0	1.0	2.0
10.4	<p>1. 3</p> <p>(1) 1 0.5</p> <p>(2) 1 0.5</p> <p>2</p> <p>1 0.5</p>	0-3	1.0	2.5	1.0	1.0	1.0	2.0

11		3 1	0-3	1.0	3.0	1.0	1.0	1.0	1.0
12		1	0-1	0.0	1.0	1.0	1.0	1.0	1.0
13.1		2 1	0-2	1.0	2.0	0.0	1.0	1.0	1.0
13.2		0.5 0.5	0-0.5	0.5	0.5	0.5	0.5	0.5	0.5
14		3 2	0-2	0.0	2.0	0.0	0.0	0.0	0.0
			0-60	42.5	59.0	10.5	42.5	14.5	48.5

1		ISO45001 ISO9001 ISO14001 2	0-2	2.0	2.0	2.0	2.0	2.0
2		1 2 0.5 2.5	0-3.5	3.5	3.5	2.5	3.5	3.5
3		0.5 1 1 3 0.25 0.5 4	0-4	4.0	4.0	4.0	4.0	4.0
4		2020 6 1 [ A 0.5 3 A ]	0-3	3.0	3.0	3.0	3.0	3.0
5		) 2 ( 3 ) 3 1 ( ) 1	0-1	0.0	1.0	1.0	1.0	1.0
6		1 5 * * 0.5	0-5	5.0	5.0	3.0	5.0	5.0
7		CMA 1. 2017 40 CB/T2741-2023 GB/T35607- WB 350 WA 50 9% 100H 0.013mg/m <sup>3</sup> TVOC 0.07mg/m <sup>3</sup> 200N 500N 2. GB/T3324-2017 0.1mg/L GB/T10357.2-2013 GB18584-2001 5 3. CB/T 2741-2013 GB 8624 B1 20286-2006 1 CB/T4371 99% 1 1 3	0-3	1.0	3.0	3.0	3.0	3.0
8		CMA 1 GB20286-2006 1 GB8624-2012 B1 CB/T4371 99% 2 1 18 Mpa 3400Mpa 24h 2.5% 0.80Mpa 1.80Mpa 1550N 1200N 0.02mg/m <sup>3</sup> (50h) 0.01μg/m <sup>3</sup> , 0.01μg/m <sup>3</sup> , 0.01μg/m <sup>3</sup> TVOC 0.01μg/m <sup>3</sup> GB/T 15102-2017 GB/T 39600-2021 GB/T 35601-2017 GB/T17657-2013 GB 18584-2001 1 3 GB/T 2189-2013 10 0.5 4 GB/T18101-2013 GB18580-2017 HJ 571-2010 B1-B 0.08mg/m <sup>3</sup> 0.5mg/m <sup>3</sup> 0.5	0-3	3.0	3.0	3.0	3.0	3.0

9	1. 2. UV 3. 4. 22 5 22 1 0.5 5. 1 2021 0.5 2021 2021 0.5	0-7	7.0	7.0	5.0	7.0
10.1	0.5 1.5	0-1.5	1.5	1.5	1.0	1.5
10.2	1. 12.5 0.5 2. 2 0.5 3. 2 4. 0.5 5. 2 0.5 6. 1.5 0.5 7. 1 0.5	0-12.5	7.0	11.0	8.0	9.0
10.3	1. 3 2. 1 1 1 3. 1 1	0-3	1.0	2.0	2.0	2.0
10.4	1. 3 (1) 1 0.5 (2) 1 0.5 2. 1 0.5	0-3	1.0	2.0	2.0	2.0
11	3 1	0-3	1.0	3.0	1.0	3.0
12	1	0-1	0.0	1.0	1.0	1.0
13.1	2	0-2	1.0	2.0	1.0	1.0
13.2	0.5 0.5	0-0.5	0.5	0.5	0.5	0.5
14	2 3	0-2	0.0	2.0	0.0	2.0
		0-60	41.5	56.5	43.0	53.5

1		ISO9001 ISO45001 2	ISO14001	0-2	2.0	2.0	0.0	2.0	2.0	2.0
2		1 2 0.5	1 2.5	0-3.5	3.5	3.5	0.0	3.5	0.0	3.5
3		3 0.25 4	0.5 0.5 1 1	0-4	4.0	4.0	0.0	4.0	0.0	4.0
4		2020 6 1 3 A	[ ] A 0.5	0-3	3.0	3.0	0.0	0.0	0.0	3.0
5		( ) 3	2 ( ) 3 1	0-1	1.0	1.0	0.0	1.0	0.0	1.0
6		0.5	5 1	0-5	4.0	5.0	0.0	5.0	0.0	5.0
7		CMA 1. GB/T35607-2017 WB 350 100H 0.013mg/m³ 500N 2. GB18584-2001 GB/T10357.2-2013 3. GB 8624 B1 QB/T4371 3	40 W4 50 9% TVOC 0.07mg/m³ 200N 0.1mg/L 5 QB/T 2741-2013 20286-2006 99% 1 1 1	0-3	2.0	3.0	0.0	3.0	0.0	3.0

8	<p style="text-align: center;">CMA</p> <p>1 GB20286-2006 1 B1</p> <p>GB8624-2012 CB/T4371 99%</p> <p>2 3400Mpa 24h 1.80Mpa 2.5% 18 Mpa 0.80Mpa</p> <p>1200N 1550N</p> <p>0.01μg/m³, TVOC 0.01μg/m³, 0.02mg/m³ (50h) 0.01μg/m³</p> <p>39600-2021 GB/T 35601-2017 GB/T17657-2013 GB 18584-2001</p> <p>3 CB/T 2189-2013 10</p> <p>0.5</p> <p>4 HJ571-2010 GB/T18101-2013 GB18580-2017</p> <p>B1-B 0.08mg/m³</p> <p>0.5mg/m³ 0.5</p>	0-3	3.0	3.0	0.0	3.0	0.0	3.0
9	<p>1.</p> <p>2. UV</p> <p>3.</p> <p>4.</p> <p>0.5 22 5 22 1</p> <p>5. 1 2021</p> <p>0.5 2021</p> <p>2021 0.5</p>	0-7	7.0	7.0	0.0	7.0	0.0	7.0
10.1	<p>0.5 1.5</p>	0-1.5	1.5	1.5	0.0	1.5	0.0	1.5
10.2	<p>1. 12.5</p> <p>2 0.5 2</p> <p>3. 0.5</p> <p>4. 0.5 2</p> <p>5. 0.5 2</p> <p>6. 0.5 1.5</p> <p>7. 0.5 1 0.5</p>	0-12.5	8.0	10.0	5.0	7.0	6.0	8.0
10.3	<p>1. 3 1 1</p> <p>2 1 1</p> <p>3. 1 1</p>	0-3	2.0	3.0	1.0	2.0	2.0	3.0
10.4	<p>1. 3</p> <p>(1) 1 0.5</p> <p>(2) 1 0.5</p> <p>2</p> <p>1 0.5</p>	0-3	1.0	3.0	1.0	1.0	1.0	3.0

11		3 1	0-3	3.0	3.0	1.0	3.0	1.0	3.0
12		1	0-1	1.0	1.0	1.0	1.0	1.0	1.0
13.1		2 1	0-2	2.0	2.0	1.0	1.0	1.0	2.0
13.2		0.5 0.5	0-0.5	0.5	0.5	0.5	0.5	0.5	0.5
14		3 2	0-2	0.0	2.0	0.0	0.0	0.0	0.0
			0-60	48.5	57.5	10.5	45.5	14.5	53.5

1		ISO45001 ISO9001 ISO14001 2	0-2	2.0	2.0	2.0	2.0	2.0
2		1 2 0.5 2.5	0-3.5	3.5	3.5	2.5	3.5	3.5
3		0.5 1 4 1 0.25 3 0.5	0-4	4.0	4.0	4.0	4.0	4.0
4		2020 6 1 [ A ] 0.5 3 A	0-3	3.0	3.0	3.0	3.0	3.0
5		) 2 ( 3 ) 3 1 ( 1	0-1	0.0	1.0	1.0	1.0	1.0
6		1 5 * * 0.5	0-5	5.0	5.0	3.0	5.0	5.0
7		CMA 1. 2017 40 CB/T2741-2023 GB/T35607- WB 350 WA 50 9% 100H 0.013mg/m <sup>3</sup> TVOC 0.07mg/m <sup>3</sup> 200N 500N 2. GB/T3324-2017 0.1mg/L GB/T10357.2-2013 GB18584-2001 5 3. CB/T 2741-2013 GB 8624 B1 20286-2006 1 CB/T4371 99% 1 1 3	0-3	1.0	3.0	3.0	3.0	3.0
8		CMA 1 GB20286-2006 1 GB8624-2012 B1 CB/T4371 99% 2 1 18 Mpa 3400Mpa 24h 2.5% 0.80Mpa 1.80Mpa 1550N 1200N 0.02mg/m <sup>3</sup> ( 50h) 0.01μg/m <sup>3</sup> , 0.01μg/m <sup>3</sup> , 0.01μg/m <sup>3</sup> TVOC 0.01μg/m <sup>3</sup> GB/T 15102-2017 GB/T 39600-2021 GB/T 35601-2017 GB/T17657-2013 GB 18584-2001 1 3 GB/T 2189-2013 10 0.5 4 GB/T18101-2013 GB18580-2017 HJ 571-2010 B1-B 0.08mg/m <sup>3</sup> 0.5mg/m <sup>3</sup> 0.5	0-3	3.0	3.0	3.0	3.0	3.0

9	<p>1. UV</p> <p>2.</p> <p>3.</p> <p>4.</p> <p>22 5 22 1 0.5 , .</p> <p>5. 1 2021 0.5 2021</p> <p>2021 0.5</p>	0-7	7.0	7.0	5.0	7.0
10.1	0.5 1.5	0-1.5	1.5	1.5	1.0	1.5
10.2	<p>1. 12.5</p> <p>0.5 , 2</p> <p>2 2 0.5</p> <p>3.</p> <p>0.5 2</p> <p>4. 2 0.5</p> <p>5. 2 0.5</p> <p>6. 1.5 0.5</p> <p>7. 1 0.5</p>	0-12.5	7.0	10.0	9.0	8.0
10.3	<p>1. 3 1 1 1</p> <p>2.</p> <p>3. 1 1</p>	0-3	2.0	3.0	2.0	3.0
10.4	<p>1. 3</p> <p>(1) 1 0.5</p> <p>(2) 1 0.5</p> <p>2.</p> <p>1 0.5</p>	0-3	1.0	3.0	2.0	2.0
11	3 1	0-3	3.0	3.0	3.0	3.0
12	1	0-1	1.0	1.0	1.0	1.011111
13.1	3.1					

